Price list

Model	Image	Chip sensors	Features	Size/weight	Remark	Price
P11-QQ6[PLUS] [Dual Camera + Dome Linkage] 3MP lens*2 6 million pixels		XM650V200 1/2.7"Color 2*MIS2009 Pixels Coms	■ Ultra low illuminance sensor, combined with an F1.4 starlight lens, provides a bright night vision effect. ■ Dual screen dual angle synchronous monitoring display ■ Human shape detection supports multi person detection, with a distance of 15m+automatic tracking of human shape and frame recording. ■ Support 8-128G TF card storage, power supply: DC 12V 2A (non-standard);	Color box size: 248*153*147mm Bare metal size: 168*118*205mm Product size: 3.8 inches Single net weight: 0.544kg gross weight: 0.797kg Carton size: 51.1*47.7*60.8 CM FCL weight: kg Minimum packing: 24Pcs/carton		
P7-QQ6[PLUS] [Dual camera camera + dome machine linkage] 3MP lens*2 6 million pixels		XM650V200 1/2.9"Color 2*SC2336 Pixels Coms	■ Ultra low illuminance sensor, combined with an F1.4 starlight lens, provides a bright night vision effect. ■ Dual screen dual angle synchronous monitoring display ■ Human shape detection supports multi person detection, with a distance of 15m+automatic tracking of human shape and frame recording. ■ Support 8-128G TF card storage, power supply: DC 12V 2A (non-standard); Support for Bluetooth fast network distribution	Color box size: 163*150*110mm bare metal size: 98*127*175mm Product size: 2 inches Net weight of a single unit: 0.358kg Gross weight of a single unit: 0.453kg Carton size: 49.8*37.5*49.2CM FCL weight: kg Minimum packing: 24Pcs/carton		
P11-QQ9-F1.4-AF-8X 3MP lens * 3 9 million pixels		XM650V200 1/2.7"Color 3*MIS2009 Pixels Coms	■ Ultra low illuminance sensor, combined with an F1.4 starlight lens, provides a bright night vision effect. ■ Dual screen dual angle synchronous monitoring display ■ Human shape detection supports multi person detection, with a distance of 15m+automatic tracking of human shape and frame recording. ■ Support 8-128G TF card storage, power supply: DC 12V 2A (non-standard); Support for Bluetooth fast network distribution	Color box size: 230*225*147mm Bare metal size: 168*118*205mm Product size: 3.8 inches Net weight of a single unit: 0.544kg Single gross weight: 0.797kg Carton size: 51.1*47.7*60.8 CM FCL weight: kg Minimum packing: 24Pcs/carton		
BS-CX63 [Triple Gun Ball +8X Zoom] 3MP lens * 3 9 million pixels		XM650V200 1/2.7"Color 3*MIS2009 Pixels Coms	■THE UPPER BOLT IS 3.6MM, THE BALL IS F1.4 STARLIGHT LEVEL 2.8MM-12MM, THE MAXIMUM ZOOM IS 250 METERS, ONE STATIC AND ONE MOVING, COLLABORATIVE LINKAGE, ONE TOP 3 (BALL MACHINE + BOLT) ■The upper bracket can be manually rotated to adjust the monitoring direction, Design process: millet material ■INDEPENDENT MOLD OPENING DESIGN OF ANTENNA, NEW GENERATION CHANNEL UP TO 5DB; Support Bluetooth fast network configuration ■Bionic hybrid lamp angle design 2+4+upper bolt 2*2, stronger supplementary light ■Ultra-low illumination sensor with nano graphene heat sink inside to eliminate night vision hot bath and night vision to light up ■Dual-screen dual-channel synchronous monitoring display (support single-screen dual-screen preview) ■Humanoid detection supports multi-person detection, distance 15m+	Color box size: 163*150*110mm bare metal size: 98*127*175mm Product size: 2 inches Net weight of a single unit: 0.358kg Gross weight of a single unit: 0.453kg Carton size: 49.8*37.5*49.2CM FCL weight: kg Minimum packing: 24Pcs/carton		

BS-CX61 Dual-camera hybrid 8x zoom 2MP lens*2 Physical pixels: 2.5K		NOVATEK 1/2.7"Color Pixels Coms NT98566+SC4336	■2.8MM-12MM STEPLESS 8X ZOOM, POWERFUL MAIN CONTROL ABILITY TO DRIVE 2 CAMERAS AT THE SAME TIME ■ Bionic hybrid lamp angle design 6+6 fill light, fill light is stronger ■Ultra-low illumination sensor, coupled with F1.4 starlight lens, the night vision effect is dazzling ■Dual-screen dual-channel synchronous monitoring display (support single-screen dual-screen preview) ■Humanoid detection supports multi-person detection, with a distance of 15m+ Humanoid automatic tracking zoom Humanoid with frame recording ■Dual-screen linkage zoom (where to point in HD mode, where the first screen is pointed, where the second screen will follow) ■Video zoom playback (view video playback and zoom playback)	Color box size: 178*164*105mm Bare metal size: 94*94*151mm Net weight of a single unit: 0.395kg Single gross weight: 0.538kg Carton size: 48.8*34*50.3CM Case weight: 15.44kg Minimum packing: 30Pcs/carton	2-inch little star, millet skin feel, PC material, patented bionic complementary light hybrid light angle design, stronger supplementary light, bracket can be hoisted or wall-mounted, and Youbi antenna.	
P9-X2-SG (2MP quality)		XM530Skiing +SC200AI 1/3"Color Pixels Coms	■Free support for Amazon Alex/Echo Show; ■ Patented bionic hybrid lamp angle design 6+6, stronger fill light ■ Elf, high-end design technology, Xiaomi style material, PC technology ■Support wireless WiFi 2.4Ghz and AP no network hotspot; ■Specially customized UBI antenna with a high strength of 5DB; ■Support 8-128GTF card storage, free 30 days cloud storage ■The bracket can be hoisted or wall-mounted ■ Extremely fast APP link matching, you can complete the addition within 10 seconds; ■Power supply: DC 12V/2A, operating temperature: 0°C-+55°C;	Color box size: 178*164*105mm Bare metal size: 94*94*151mm Net weight of a single unit: 0.395kg Single gross weight: 0.538kg Carton size: 48.8*34*50.3CM Case weight: 15.44kg Minimum packing: 30Pcs/carton	Dual-board module, core board + sub-board design, heat dissipation, stability, quality, better effect, support onvif Support remote CMS, VMS, support WiFi package,	
P9-G4-SG (2.5K pixels)		GK7205V210+SC4239 1/2.7"Color Pixels Coms			Double-board module design, Guoke chip, real 2.5K pixels, 16:9 picture, the effect is very good	
Solar low power						
BS -A30-WIFI		WiFi 400W	Solar panel specifications 8W polycrystalline silicon solar panel,supporting sustainable power supply Motion Detection PIR+Motion Detection+, effective distance of 10 meters Night vision mode: 850nm infrared night vision + white light full-color night vision Night vision distance: The effective lighting distance is about 10 meters Battery 4*18650 lithium battery, solar rechargeable battery Battery life: Support about 30 days of continuous rainy weather Charging: USB charging input 5V 2A The rotation angle is 350 degrees horizontally and 90 degrees vertically Network 4G network supports full-range 4G networks in the United States, Europe, Japan, and China APP Ubox	Color box size: 265*200*200mm Net weight of a single unit: 1.7kg Single gross weight: 0.797kg Carton size: 56*41.5*61.5 CM Case weight: 22kg Minimum packing: 12Pcs/carton		
BS-A30-4G		WIFI 4G				
ST-588-6M-12X-WiFi		6MP	Unique Point：12X ZOOM Floodlight Solar Battery PTZ Camera Solor board ：8W Lens ： 4mm + 12mm Perspective：Horizontal 355degree,Vertical 90degree Standby time：About 2 months (wake up 30 times a day, 20S each time) Day and night conversion：White lights support Automatic switch Infrared distance：effective distance 15m PIR human detection：Support PIR detection wake(Max 7M) Battery：6 pcs 18650 battery (Not include) Storage：TF Card （MAX 128GB) & Amazon cloud (not included)	One box siz : 29*20*16cm Weight : 2.2Kg	2.4GHz	
ST-588-6M-12X-4G-EU					LTE-FDD:B1/B3/B5/B7/B8/B20 GSM/GPRS/EDGE 900/1800MHz	

TQ5-GK4-WiFi-7.6W【WiFi Solar Dome Machine】 TQ5-GK4-4GS-7.6W【4G-Asia Pacific Edition】 TQ5-GK4-4GEU-7.6W【4G-European version】	Solar 	GoKe 1/2.7"Color 4.0MP Pixels Coms	* Free support for Amazon Alex/Echo Show; * Low power outdoor dome with 7.6W solar panels, with 4 x 18650 batteries; * F1.4 STARLIGHT DUST SHEET 3.6MM, BRIGHTER NIGHT VISION, 6 FILL LIGHTS + 6 IR LIGHTS; * Radar + code scanning 2 kinds are added at the same time, and the new iteration of fast network configuration mode is added; * Support two-way duplex voice monitoring, intercom, PIR human body speed 0.6 seconds induction wake-up push; * Ai humanoid screening push, Ai area intrusion detection (multiple monitoring	Color box size: 238*182*140mm Bare metal size: 2.5 inches Net weight of a single unit: 0.6584kg Single gross weight: 1.3896kg Carton size: 49.4*37.9*44CM Case weight: 17.6922kg Minimum packing: 12Pcs/carton	True 4MP = 2.5K pixels Band LTE-TDD:B34/B38/B39/B40/B41 LTE-FDD:B1/B3/B5/B8 LTE-FDD:B1/B3/B5/B7/B8/B20	
TQ6-GK4-WiFi-5W【WiFi Solar Dome Machine】 TQ6-GK4-4GS-5W【4G-Asia Pacific Edition】 TQ6-GK4-4GEU-5W【4G-European version】	Solar 	GoKe 1/2.7"Color 4.0MP Pixels Coms	*Free support for Amazon Alex/Echo Show; *Low power outdoor mini ball player, including 3W solar panels and 3 18650 batteries; *Add radar and scan code simultaneously, and add it through fast grid distribution method; *Support bidirectional duplex voice monitoring, intercom, PIR human body speed of 0.6 seconds induction wake-up push; *PIR sensing rapid wake-up; Low power consumption and long working time; *Power supply: DC 5V 1.5A (non-standard), Type-C interface; *Support 8-128G TF card storage, working temperature: -10 ℃ -+55 ℃	Color box size: 205*190*120mm Bare metal size: 1.5 inches Net weight of a single unit: 0.465kg Single gross weight: 1.056kg Carton size: 42.8*39.5*51CM Case weight: 18kg Minimum packing: 16Pcs/carton	Upgraded 5W+ lens dust sheet Band LTE-TDD:B34/B38/B39/B40/B41 LTE-FDD:B1/B3/B5/B7/B8/B20	
BS-BZ2		WIFI/400W	1. Using XM650AI.Hi3861L, LiteOS three low-power technologies, long battery life, fast start smart solar camera 2. Lightweight IoT operating system, decentralized loading technology can achieve 0.6 seconds of fast start 3. 3MP high-definition resolution, clear image and delicate picture quality 4. PIR infrared human body sensor supports passive infrared induction 5. Support 2D/3D noise reduction, digital wide dynamic function 6. Advanced H.265X video compression technology, ultra-low bit rate, high-definition image quality 7. Lightning protection, in line with the national standard GB/T17626.5 international standard IEC61000-4-5	59*30.5*51CM 14.6KG (2 x 18650 batteries) 20PCS in one carton		
BS-BZ1-300 BS-BZ1-500		300万 500万	5000mAh / Cloud Storage / Support Alexa / 120 Degree Wide Angle / 8m PIR / IP65 / 3Dbi Antenna / 100% No Power Required / Two-way Voice / SD Card / Removable Battery / 30FT Night Vision / With Manual Alarm Function / Support Bluetooth Pairing	Color box size: 132*115*73mm Carton size: 42.8*39.5*51CM Case weight: 16.62kg Minimum packing: 50Pcs/carton		

BS-BZ1-1-300		300万	5000mAh/Cloud Storage/Support Alexa/120 Degree Wide Angle/8m PIR/IP65/3Dbi Antenna/100% No Power Required/Two-Way Voice/SD Card/Removable Battery/3W Solar Panel, 3m Cable/30FT Night Vision/With Manual Alarm Function/Support Bluetooth Pairing	Color box size: 175*125*88mm Carton size: 68.5*44.5*27.6CM Case weight: 11kg Minimum packing: 20Pcs/carton		
BS-BZ1-1-500		500万				
BS-SP5-200	 	1080P	1. C20 is a video call surveillance camera. Second, the core selling point: 1. 2,000,000 HD quality 2. Two-way video call, real-time communication without distance 3. Adopt starlight level lens F2.0 4. Intelligent loop recording, view playback anytime and anywhere 5. Motion detection, human tracking, crying detection, area detection, interact with family anytime, anywhere 6. Intelligent loop recording, view playback anytime and anywhere 7. Both on-premise and cloud services can be stored 8. Adjustable angle: turn 350° left and right, 60° up and down 9. The machine lens can be rotated and adjusted 360 degrees 10. The machine comes with 2.8 inch color TFT display design 11. Plug and play: one-click call remote video intercom 12. With motion detection, video recording, audio recording, photo and other functions 13.1080P HD picture quality and HD night vision. 14. The machine supports up to 128G memory card. 15. Multiple national languages can be set 16. Machines dial video intercom with each other 17. It can be connected to 2 x 18650 batteries, and the battery life is 2-3 hours 3. Application scenarios: home, school, factory, shopping mall, etc. are applicable, looking at home, parents, children, pets, and companies....	 C20 OUTER BOX SIZE: 52X52X46.5CM Packing number: 50 units COLOR BOX SIZE: 100*100*220MM Unit weight: 495g FCL weight: 25.5KGS	Domestic: King of the Housekeepers Overseas: IM CAM	
BS-BM308-2MP		(5 inch baby care device with big eye shaking head machine)	* No need to connect to the Internet, generate the picture when the power is on, control the gimbal, and access up to 4 cameras; * Real-time monitoring, voice intercom; * Support TF card insertion in the display screen for video recording and playback, and the camera video file can be copied; * Support high and low temperature alarm, VOX baby crying alarm; * Support feeding interval alarm clock, support to play 6 global classic lullas; * Support 8 Chinese languages, Chinese/English/Italian/Spanish/Japanese/Portuguese/French/German; * Size: 5 inch Battery capacity: 3600mA Transmission distance: 300m; * Power supply: DC 5V 2A, support 8-128G TF card storage;	Single packing: 194*177*109mm, 0.7kg; 16pcs/ctn: 415*380*460mm, 13kg;	APP: Internet connection is not required Main Chip: Camera XM530+F37 (1080P), Caretaker XM650	
BS-BM308-2MP		(5 inch baby care device with little penguin head header)	* No need to connect to the Internet, generate the picture when the power is on, control the gimbal, and access up to 4 cameras; * Real-time monitoring, voice intercom; * Support TF card insertion in the display screen for video recording and playback, and the camera video file can be copied; * Support high and low temperature alarm, VOX baby crying alarm; * Support feeding interval alarm clock, support to play 6 global classic lullas; * Support 8 Chinese languages, Chinese/English/Italian/Spanish/Japanese/Portuguese/French/German; * Size: 5 inch Battery capacity: 3600mA Transmission distance: 300m; * Power supply: DC 5V 2A, support 8-128G TF card storage;	Single packing: 194*177*109mm, 0.7kg; 16pcs/ctn: 415*380*460mm, 13kg;	APP: Internet connection is not required Main Chip: Camera XM530+F37 (1080P), Caretaker XM650	

BS-8824A-200W		2MP	1. Cascad supported 2. Audio supported 3. Dual light or IR or Full Color supported 4. Motion detection supported 5. Monitoring and Playback remotely by APP supported	* 4CH WiFi NVR (not HDD) X 1 * WiFi PT Cameras X 8 * DC 12V 2A Power adapter X1 * DC 12V 1A Power adapter X8 * USB Mouse X 1 * User Manual X1 * Screw bag X9	Package size: 315*275*270MM Package weight: 4.5KG Cartons size: 565*335*565MM Cartons weight:19.05KG/4pcs	
BS-8834A-300W		3MP				
BS-8854A-500W		5MP				
BS-8824A-200W		2MP	1. Cascad supported 2. Audio supported 3. Dual light or IR or Full Color supported 4. Motion detection supported 5. Monitoring and Playback remotely by APP supported	* 4CH WiFi NVR (not HDD) X 1 * WiFi PT Cameras X 4 * DC 12V 2A Power adapter X1 * DC 12V 1A Power adapter X4 * USB Mouse X 1 * User Manual X1 * Screw bag X5	Package size: 391*270*183MM Package weight: 3.5KG Cartons size: 565*400*300MM Cartons weight:11.4KG/3pcs	
BS-8834A-300W		3MP				
BS-8854A-500W		5MP				
BS-TS8824		2MP	1. Cascad supported 2. Audio supported 3. Dual light or IR or Full Color supported 4. Motion detection supported 5. Monitoring and Playback remotely by APP supported	* 4CH WiFi NVR (not HDD) X 1 * WiFi PT Cameras X 4 * DC 12V 2A Power adapter X1 * DC 12V 1A Power adapter X4 * USB Mouse X 1 * User Manual X1 * Screw bag X5	Package size: 391*270*183MM Package weight: 3.5KG Cartons size: 565*400*300MM Cartons weight:11.4KG/3pcs	
BS-TS8834		3MP				
BS-TS8854		5MP				
BS-TS8824A		2MP	* 4CH WiFi NVR (not HDD) X 1 * WiFi metal Cameras X 4 * DC 12V 2A Power adapter X1 * DC 12V 1A Power adapter X4 * USB Mouse X 1 * User Manual X1 * Screw bag X5	1. Cascad supported 2.Audio supported 3.Dual light or IR or Full Color supported 4. Motion detection supported 5. Monitoring and Playback remotely by APP supported	Package size: 315*175*270MM Package weight: 2.7KG Cartons size: 545*330*560MM Cartons weight:17.3KG/6pcs	
BS-TS-8834A		3MP				
BS-TS-8854A		5MP				

XM6004B2		AHD KIT	XM AHD CAM 60 Plastic housing ¢13 Lamp beads Infrared distance: 20~30 m HD lens 3.6MM IR cut filter with auto switch	* 4CH XVR (not HDD) X 1 * AHD Cameras X 4 * DC 12V 5A Power adapter X1 * USB Mouse X 1 * User Manual X1 * Screw bag X5	Package size: 350*170*260MM Package weight: 2.85KG Cartons size: 535*360*450MM Cartons weight:15KG/5pcs	
XM9004B2-V			XM AHD CAM 4 inch Plastic housing ¢4Lamp beads Infrared distance: 20~30 m HD lens 3.6MM IR cut filter with auto switch	* 4CH XVR (not HDD) X 1 * TVI audio Cameras X 4 * DC 12V 5A Power adapter X1 * USB Mouse X 1 * User Manual X1 * Screw bag X5	Package size: 350*170*260MM Package weight: 2.85KG Cartons size: 535*360*450MM Cartons weight:15KG/5pcs	
XM9004B5-V						
XM9008B2-V			XM AHD CAM 4 inch Plastic housing ¢4Lamp beads Infrared distance: 20~30 m HD lens 3.6MM IR cut filter with auto switch	* 8CH XVR (not HDD) X 1 * TVI audio Cameras X 8 * DC 12V 2A Power adapter X1 * DC 12V 5A Power adapter X1 * USB Mouse X 1 * User Manual X1 * Screw bag X9	Package size: 350*260*260MM Package weight: 4.45KG Cartons size: 535*360*530MM Cartons weight:18.5KG/4pcs	
XM9008B5-V						

The full range supports cloud recording - storage is more secure

V380PRO

Model	Image	Chip sensors	Features	Size/weight	Remark	Price
BS-Q26-L		100W	100W pixels, H.264. Cloud recording is supported. Support WIFI, AP hotspot, Two-way voice intercom, voice alarm, picture push, TF card recording. Equipped with E27 standard lampholders.	Specification: carton + sponge. Length: 9.7cm Width: 8.6cm Height: 21.8cm Weight: 0.30kg	Specification: 50pcs/carton. Length: 50cm Width: 46.5cm Height: 42.2cm Weight: 16.32kg	
BS-Q26-H		300W	300W pixels, H.265. Cloud recording is supported. Support WIFI, AP hotspot, Two-way voice intercom, voice alarm, picture push, TF card recording. Equipped with E27 standard lampholders.			
VRT - Q16S		1,000,000 pixel WIFI indoor dual-light source lampholder moving head machine	100W pixels, H.264. Cloud recording is supported. Support WIFI, AP hotspot, two-way voice intercom, voice alarm, picture push, TF card recording. Equipped with E27 standard lampholders.	Specifications: carton + blister. Length: 17cm Width: 8.5cm Height: 7.5cm Weight: 0.27kg	Specification: 50pcs/carton. Length: 45cm Width: 36cm Height: 40cm Weight: 14.3kg	
VRT - Q16S-H		3,000,000 pixel WIFI indoor dual-light source lamp holder shaking head machine	300W pixels, H.265. Cloud recording is supported. Support WIFI, AP hotspot, two-way voice intercom, voice alarm, picture push, TF card recording. Equipped with E27 standard lampholders.			
QA-A27		1080P 2 million (Interpolation)	* The device can be added by scanning the code, and the wifi is quickly connected; * Support voice monitoring, intercom, motion detection, sound detection alarm; * Cloud storage video supports alarm classification, query and playback function; * Support all kinds of mobile phone remote monitoring (IOS, Android); * Wi-Fi 802.11b/g/n; * Support 8-128G TF card storage, working temperature: -10°C-+55°C; * Wi-Fi 802.12b/g/n;	Specification: carton + sponge. Length: 9.7cm Width: 8.6cm Height: 21.8cm Weight: 0.30kg	Specification: 50pcs/carton. Length: 50cm Width: 46.5cm Height: 42.2cm Weight: 16.32kg	

BS-VCS20-W		2.5-inch 2 million pixel solar + low-power WIFI dual-light source gun ball all-in-one machine	200W+200W pixels, dual light source, H.265. Support TF card, support WIFI, AP hotspot, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 6 x 18650 lithium battery pack with bracket. Indoor and outdoor use.	Specifications: carton + blister. Length: 20.8cm Width: 19.3cm Height: 14.8cm Weight: 1.25kg	Specification: 12pcs/carton. Length: 57.5cm Width: 4 3.2cm Height: 29cm Weight: 16.1kg	
BS-VCS20-G		2.5-inch 2-million-pixel solar + low-power 4G dual-light gun ball all-in-one machine	200W+200W pixels, dual light source, H.265. Support APP recharge, query, cloud storage/memory card storage (up to 128G), support mobile, Unicom, Telecom, 4G full Netcom, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 6 x 18650 lithium battery pack with bracket. Indoor and outdoor use.			
BS-VCS20-G-EU		2.5-inch 2 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine - European version				
BS-VC20-W		2.5 inch 3 million pixel solar + low power WIFI dual light source dome machine	300W pixels, dual light source, H.265. Support TF card, support WIFI, AP hotspot, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 4 x 18650 lithium battery pack with bracket. Indoor and outdoor use.	Specifications: carton + blister. Length: 20.8cm Width: 19.3cm Height: 14.8cm Weight: 1.25kg	Specification: 12pcs/carton. Length: 57.5cm Width: 43.2cm Height: 29cm Weight: 16.1kg	
BS-VC20-G		2.5 inch 3 million pixel solar + low power consumption 4G dual light source dome machine	300W pixels, dual light source, H.265. Support APP recharge, query, cloud storage/memory card storage (up to 128G), support mobile, Unicom, Telecom, 4G full Netcom, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 4 x 18650 lithium battery pack with bracket. Indoor and outdoor use.			
BS-VC20-G-EU		2.5 inch 3 million pixel solar + low power consumption 4G dual light source dome - European version				
BS-VTS01-W		3-inch 2 million pixel solar + low-power WIFI dual-light source gun ball all-in-one machine	200W+200W pixels, dual light source, H.265. Support TF card, support WIFI, AP hotspot, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 10W solar panel, with 6 x 18650 lithium battery pack with bracket. Indoor and outdoor use.	Specifications: carton +		

BS-VTS01-G		3-inch 2 million pixel solar + low power consumption 4G dual-light source gun ball all-in-one machine	200W+200W pixels, dual light source, H.265. Support APP recharge, query, cloud storage/memory card storage (up to 128G), support mobile, Unicom, Telecom, 4G full Netcom, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 6 x 18650 lithium battery pack with bracket. Indoor and outdoor use.	blister. Length: 26.3cm Width: 19.4cm Height: 15.9cm Weight: 1.6kg	Specification: 12pcs/carton. Length: 60.5cm Width: 55cm Height: 33.6cm Weight: 20.4kg	
BS-VTS01-G-EU		3-inch 2 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine - European version				
BS-VCS09-W		2.8-inch 2 million pixel solar + low-power WIFI dual-light gun ball all-in-one machine	200W+200W pixels, dual light source, H.265. Support TF card, support WIFI, AP hotspot, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 10W solar panel, with 6 x 18650 lithium battery pack with bracket. Indoor and outdoor use.	Specifications: carton + blister. Length: 24.5cm Width: 17.6cm Height: 14.8cm Weight: 1.32kg	Specification: 12pcs/carton. Length: 61cm Width: 42.5cm Height: 52.5cm Weight: 21.5kg	
BS-VCS09-G		2.8-inch 2 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine	200W+200W pixels, dual light source, H.265. Support APP recharge, query, support cloud storage/memory card storage (up to 128G), support mobile. Unicom. Telecom, 4G full Netcom, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 10W solar panel, with 6 18650 lithium battery packs. With stand. Indoor and outdoor use.			
BS-VCS09-G-EU		2.8-inch 2 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine - European version				
BS-VCS03-W		2.0寸200万像素 太阳能+低功耗WIFI双光源枪球一体机	200W+200W像素，双光源，H.265。支持TF卡.支持WIFI、AP热点、双向全实时语音对讲、语音报警、移动侦测报警、人形报警图片推送。标配8W太阳能板，配6节18650锂电池包.带支架。室内外通用。		Specification: 12pcs/carton. Length: 55.5cm Width: 50.5cm Height: 32.5cm Weight: 17.8kg	
BS-VCS03-G		2.0寸200万像素 太阳能+低功耗4G双光源枪球一体机	200W+200W像素，双光源，H.265。支持APP充值、查询,支持云存储/内存卡存储（最大128G).支持移动.联通.电信、4G全网通，双向全实时语音对讲、语音报警、移动侦测报警、人形报警图片推送。标配8W太阳能板，配4节18650锂电池包.带支架。室内外通用。			
BS-VCS03-G-EU		2.0寸200万像素 太阳能+低功耗4G双光源枪球一体机-欧版				

BS-VC3-W		2.0 inch 3 million pixel solar + low power consumption WIFI dual-light source gun ball all-in-one machine	300W pixels, dual light source, H.265. Support TF card, support WIFI, AP hotspot, voice alarm, motion detection alarm, humanoid alarm picture push. Split 8W solar panel as standard, with 4 18650 lithium battery packs with bracket. Indoor and outdoor use.	Specifications: carton + blister. Length: 24.5cm Width: 17.6cm Height: 14.8cm Weight: 1.30kg	Specification: 12pcs/carton. Length: 55.5cm Width: 50.5cm Height: 32.5cm Weight: 17.5kg	
BS-VC3-G		2.0-inch 3 million pixel solar + low-power 4G dual-light gun ball all-in-one machine	300W pixels, dual light source, H.265. Support APP recharge, query, cloud storage/memory card storage (up to 128G), support mobile, Unicom, Telecom, 4G full Netcom, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 4 18650 lithium battery packs, with bracket. Indoor and outdoor use.			
BS-VC3-G-EU		2.0-inch 3 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine - European version				
BS-VC9-W		2.8-inch 3 million pixel solar + low-power WIFI dual-light gun ball all-in-one machine	300W pixels, dual light source, H.265. Support TF card, support WIFI, AP hotspot, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 4 x 18650 lithium battery pack with bracket. Indoor and outdoor use.	Specification: carton + blister + cotton. Length: 26.5cm Width: 19.9cm Height: 13.3cm Weight: 1.36kg	Specification: 12pcs/carton. Length: 55cm Width: 42cm Height: 42cm Weight: 19.35kg	
BS-VC9-G		2.8-inch 3 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine - European version	300W pixels, dual light source, H.265. Support APP recharge, query, cloud storage/memory card storage (up to 128G), support mobile, Unicom, Telecom, 4G full Netcom, two-way full real-time voice intercom, voice alarm, motion detection alarm, humanoid alarm picture push. Standard 8W solar panel, with 4 x 18650 lithium battery pack with bracket. Indoor and outdoor use.			
BS-VC9-G-EU		2.8-inch 3 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine - European version				
BS-VC6-DL-G		1.8-inch 3 million pixel solar + low-power 4G dual-light source gun ball all-in-one machine	Single 7W solar panel + 8A battery, 200W pixels, support two modes of constant power supply and low power consumption, dual light source, H.265. Support TF card, support built-in 4G card + mobile, China Unicom, China Telecom, 4G full Netcom, two-way full real-time voice intercom, voice alarm, mobile detection alarm, humanoid alarm picture push. With stand. Indoor and outdoor use.	Specifications: carton + air column bag Length: 27.6cm Width: 20.4cm Height: 19.2cm Weight: 1.76kg	Specification: 12pcs/carton. Length: 60cm Width: 42.5cm Height: 57.5cm Weight: 22.4kg	